GUBI

9205 - Table lamp

Designed by Pavoo Tynell



ITEM NUMBER

9205 Table Lamp, Base: Brass, Shade: Canvas

10119201

DESCRIPTION

First produced around 1950, the 9205 is a classic, almost archetypal, table lamp with an unmistakable Tynell aesthetic. Elegant and slender, the lamp's apparently simple form conceals an extraordinary degree of craftsmanship and highly skilled hand-making. The canvas model's shade is constructed by attaching the fabric to a liner, which is then manually fixed onto a wire frame, while the bamboo is made from a series of slats first sewn together by hand to form a pleated mat before being connected to the liner and frame – a contemporary update to the ryegrass cane used in Taito's original model. The stem is milled with a rattan-like pattern, created by a metalsmith using a lathe with great precision and attention to detail to mimic the effect of a series of overlapping strips. A brass plate, screwed into the stem, keeps the shade in place.

Materials & Finishes

SHADE FINISH

Canvas






CORD SHAPE Round

CORD COLOR Golden

Dimensions



LAMP WIDTH 31 cm / 12.2 in

LAMP DEPTH 31 cm / 12.2 in

LAMP HEIGHT 57 cm / 22.4 in

SHADE WIDTH 31 cm / 12.2 in

SHADE DEPTH 31 cm / 12.2 in

SHADE HEIGHT 21 cm / 8.2 in

BASE WIDTH 14 cm / 5.5 in

CORD LENGTH 250 cm / 98.4 in

Weight

 TOTAL WEIGHT
 1,75 kg / 3.8 lbs

 SHADE WEIGHT
 0,35 kg / 0.7 lbs

 BASE WEIGHT
 1,4 kg / 3.1 lbs

Number of parcels 2

PARCEL 1 - BASE

PACKAGING LENGTH 64 cm / 25.2 in

PACKAGING WIDTH 19,8 cm / 7.8 in

PACKAGING HEIGHT 19,8 cm / 7.8 in

PACKAGING WEIGHT 0,7 kg / 1.5 lbs

GROSS WEIGHT 2,1 kg / 4.6 lbs

PARCEL 2 - SHADE

PACKAGING LENGTH 36,8 cm / 14,5 in

PACKAGING WIDTH 36,8 cm / 14,5 in

PACKAGING HEIGHT 26,8 cm / 10.5 in

PACKAGING WEIGHT 0,6 kg / 1.3 lbs

GROSS WEIGHT 2,35 kg / 5.2lbs

Electrical Specifications

BULB SOCKET 2 x E27

RECOMMENDED BULB 4-6W LED, 470lm

DIMMER No

SWITCH On Product

VOLTAGE 240V

BULB INCLUDED No

PLUG TYPE EU - Type C, 2pin

Test & Certifications

CERTIFICATION CE

ISOLATION CLASS

IP CLASSIFICATION 20