

Semi Pendant - Ø90, EU

Designed by Bonderup & Thorup - 1968



ITEM NUMBER

Semi Pendant - Ø90 (Shade: White Semi Matt)
Semi Pendant - Ø90 (Shade: Black Semi Matt)

10029472
10029471

DESCRIPTION


The Semi Pendant is a unique pendant lamp, based on two quarter-circles put together, back-to-back. It's distinctive arch-shaped, enamelled metal shade creates a diffused, cone-shaped light, ideal over a dining table or kitchen work surface. With its lightness of form, unique timeless design and range of colours and sizes, the Semi Pendant is extremely versatile and well suited to both private and public spaces.

The Semi Pendant was designed in 1968 as a product of the creative partnership between Claus Bonderup and Torsten Thorup. Reacting against the soft organic forms, the so-called cosy era, that was dominating Denmark at the time, Bonderup and Thorup wanted to create a lamp that incorporated sharp, clean lines and a geometric shape. Their design was submitted for a competition at the Royal Danish Academy of Fine Arts, School of Architecture and won first prize. In the 1980s the pendant achieved great success and became, at that time, the best-selling Danish design and gained worldwide recognition and iconic status.

Materials & Finishes

SHADE FINISH

White Semi Matt, Black Semi Matt



CANOPY FINISH

Black (RAL 9005) on all models except White (RAL 9003) on white semi matt shade

CORD SHAPE

Round


CORD COLOR

Black textile on all models except White textile on white semi matt shade

MATERIALS

Metal

Dimensions



LAMP DIAMETER

Ø 90 cm

LAMP HEIGHT

45 cm

SHADE DIAMETER

Ø 90 cm

SHADE HEIGHT

45 cm

CANOPY DIAMETER

Ø 11,5 cm

CANOPY HEIGHT

6 cm

CORD LENGTH

400 cm

Weight

TOTAL WEIGHT

6 kg

Number of parcels	1
PACKAGING LENGTH	96,5 cm
PACKAGING WIDTH	96,5 cm
PACKAGING HEIGHT	50 cm
PACKAGING WEIGHT	5,5 kg
GROSS WEIGHT	11,5 kg

Electrical Specifications

BULB SOCKET	E27
RECOMMENDED BULB	6W-10W LED, 810 lm
VOLTAGE	240V
BULB INCLUDED	No

Test & Certifications

CERTIFICATION	  
ISOLATION CLASS	II
IP CLASSIFICATION	20