


AJ MINI TABLE LAMP

AJ Mini Table Lamp - 5744171876

The fixture emits downward directed light. The angle of the screen can be adjusted approximately 90 degrees up and down to optimize light distribution. The shade is painted white on the inside to ensure a soft comfortable light.



Arne Jacobsen

Arne Jacobsen was born and raised in Copenhagen. In 1927, he graduated as an architect from the Royal Danish Academy of Fine Arts in Copenhagen. After graduating, he obtained his first job at the office of the City Architect of Copenhagen launching his own office only two years later.



Product info

Information

Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina.

Mounting

2.4 m. Cord with plug. Switch on lamp stand.

Finish

White, Black, Pale Petroleum, Warm Sand, Soft Lemon, Electric Orange, Dusty Blue, Warm Grey, Stainless Steel Polished. Black and Warm Grey comes in solid colour or with polished brass.

Materials

Shade: Spun steel or stainless steel.
 Base: Die cast zinc or stainless steel.
 Stem: Steel, stainless steel or brass.

Sizes and weights

width x Height x Length (mm) | 113 x 433 x 183 Max 1.5 kg

Class

Ingress protection IP20. Electric shock protection II.

Light source

1x20W E14

Information

Please note that the brass surfaces are untreated. This means that the surface will change over time and develop a patina.




Related products



AJ Floor Lamp



AJ Table Lamp



AJ Wall Lamp



AJ 50 Outdoor Wall Lamp



AJ Royal Pendant




AJ Garden Bollard




AJ Oxford Table Lamp

Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

Product	Variant number
AJ Electric Orange union nut	5744170301
AJ Soft Lemon union nut	5744170314
AJ Warm Sand union nut	5744170327
AJ Dusty Blue union nut	5744170330
AJ Warm Grey union nut	5744170343
AJ Brass union nut	5744170563

Data specifications

Colour	Brass/black	Length	183
Width	113	Height	433
Built-in Height	-	IP class	20
Class	II	Net Weight	1.3
Standby (W)	-	Power Factor (P = 100 % / P = 50 %)	-
Inrush Current	-	Light source	1x20W E14

AJ Mini Table Lamp

Kelvin	-
SDCM	-
Watt	4.0
Light control	-
UGR Transversal / Axial	23.3/21.6
Driver life	-

CRI	-
Lumen	308
Efficacy	77
Min. Dim Level (%)	-
L80B50 (hours)	-