Project type: /

Keglen Wall

Keglen Wall - 5743150050

The wall lamp's distinctive conical shade has a built-in curved diffuser. This ensures an attractive and glare-free light. A gentle light is also emitted upward through a discreet uniform opening in the top of the shade to create a perfect ambiance. The fixture can be mounted facing downward to direct the light to a specific spot, or upward for indirect light.



Jakob Lange - BIG Ideas

BIG Ideas, BIG's technology-driven specialist product division, is managed by architect Jakob Lange and produces the practice's lamps and other types of digital projects that underpin BIG's designs, buildings and ideas.







Design to Shape Light

1/4

Product info

Information

Mounting with cord and plug or for hardwiring. With programming by the customer, there is a possibility to disable the switch. An integrated memory function ensures that the lamp wil return to its latest adjusted lumen output when power has been removed and restored. Head can rotate $+/-45^{\circ}$ sideways.

Mounting

Cord type: Plastic. Cord length: 2.4 m. Switch: On the wall box. Stepless dimming. Adapter: Integrated into the wall box. Mounting with cord and plug or for hardwiring. Possibility to disable the on/off switch. Head can rotate +/- 45° sideways.

Finish

Black or white, matt, wet-painted,

Materials

Sizes and weights

Shade: Spun aluminum. Diffuser: Injection-molded PC. Wall box: Die cast aluminum.

Width x Height x Length (mm) | 176 x 142 x 188 Max 0.8 kg

Class

Ingress protection IP20. Class II.

Light source LED 2700-2000K D2W 8.5W

Lumen: 457

Information

Mounting with cord and plug or for hardwiring.

With programming by the customer, there is a possibility to disable the switch. An integrated memory function ensures that the lamp wil return to its latest adjusted lumen output when power has been removed and restored.

Head can rotate +/- 45° sideways.

Product family









Keglen

Keglen Table

Keglen Floor



Light distribution diagrams



Spare parts & accessories

Product	Variant number
Keglen Ø175 Wall diffuser	5743151787

Data specifications

White
176
_
II
_
_
2700
3

Length	188
Height	142
IP class	-
Net Weight	0.8
Power Factor (P = 100	% / P = 50 %)
Light source	LED 2700-2000K D2W 8.5W
CRI	90
Lumen	457

4/4

Regien wan	Keglen	Wall
------------	--------	------

Watt	8.5
Light control	-
UGR Transversal / Axial	19.8/7.0
Driver life	>50.000

Efficacy	Kegien Wan 54
Min. Dim Level (%)	-
L80B50 (hours)	>100.000