

Keglen Wall

Keglen Wall - 5743150063

The wall lamp's distinctive conical shade has a built-in curved diffuser. This ensures an attractive and glare-free light. A gentle light is also emitted upward through a discreet uniform opening in the top of the shade to create a perfect ambiance. The fixture can be mounted facing downward to direct the light to a specific spot, or upward for indirect light.



Jakob Lange - BIG Ideas

BIG Ideas, BIG's technology-driven specialist product division, is managed by architect Jakob Lange and produces the practice's lamps and other types of digital projects that underpin BIG's designs, buildings and ideas.



Product info

Information

Mounting with cord and plug or for hardwiring. With programming by the customer, there is a possibility to disable the switch. An integrated memory function ensures that the lamp will return to its latest adjusted lumen output when power has been removed and restored. Head can rotate +/- 45° sideways.

Mounting

Cord type: Plastic. Cord length: 2.4 m. Switch: On the wall box. Stepless dimming. Adapter: Integrated into the wall box. Mounting with cord and plug or for hardwiring. Possibility to disable the on/off switch. Head can rotate +/- 45° sideways.

Finish

Black or white, matt, wet-painted.

Materials

Shade: Spun aluminum. Diffuser: Injection-molded PC. Wall box: Die cast aluminum.

Sizes and weights

Width x Height x Length (mm) | 176 x 142 x 188 Max 0.8 kg

Class

Ingress protection IP20. Class II.

Light source

LED 2700-2000K D2W 8.5W
Lumen: 338


Information

Mounting with cord and plug or for hardwiring.

With programming by the customer, there is a possibility to disable the switch.

An integrated memory function ensures that the lamp will return to its latest adjusted lumen output when power has been removed and restored.

Head can rotate +/- 45° sideways.



Product family



Keglen




Keglen Table




Keglen Floor

Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

Product

Keglen Ø175 Wall diffuser

Variant number

5743151787

Data specifications

Colour	Black	Length	188
Width	176	Height	142
Built-in Height	-	IP class	-
Class	II	Net Weight	0.8
Standby (W)	-	Power Factor (P = 100 % / P = 50 %)	-
Inrush Current	-	Light source	LED 2700-2000K D2W 8.5W
Kelvin	2700	CRI	90
SDCM	3	Lumen	338

Keglen Wall

Watt	8.5
Light control	-
UGR Transversal / Axial	18.7/5.9
Driver life	>50.000

Efficacy	40
Min. Dim Level (%)	-
L80B50 (hours)	>100.000