


VL STUDIO TABLE/FLOOR LAMP

VL Studio Table/Floor Lamp - 5744169383

The fixture emits a glare-free diffused light. The triple-layered opal glass provides a very comfortable light distribution and radiates a pleasantly delicate glow to the surroundings.



Vilhelm Lauritzen

Vilhelm Lauritzen (1894–1984) is one of the most significant architects in the history of Denmark; he was the trail-blazing figurehead of Danish functionalism. A number of his buildings – Nørrebro Theatre (1931–32), Dælls Varehus department store (1928–35), Radihuset (1936–41) and the first airport built in Kastrup (1937–39) – represented the concentrated essence of contemporary life.



Product info

Information

The untreated brass will change over time and develop a patina.

Mounting

Glass can be unscrewed to change the light source. 2.5 m. Cord. Black for black version and white on brass versions. Ø150: On/off switch on cable. Ø250 and Ø320: Electronic dimmer on cable for regulation of light brightness (requires suitable light source).

Finish

Matt black, wet painted or brushed brass with fine hairlines. White opal glass, glossy. Unlacquered brass which will develop a patina.

Materials

Glass: Mouth-blown, 3-layered opal glass, glossy. Housing: Deep drawn aluminum or brass. Please note the untreated brass will patinate.

Sizes and weights

width x Height x Length (mm) | 250 x 244 x 250 Max 3.8 kg | 320 x 310 x 320 Max 7.9 kg | 150 x 145 x 150 Max 1.3 kg

Class


Ingress protection IP20. Electric shock protection II.

Light source


1x40W E27

Information

The untreated brass will change over time and develop a patina.




Related products



VL Ring Crown 3-5-7 Pendant




VL Ring Crown 1 Pendant




VL Ring Crown 2 Wall Lamp



VL 45 Radiohus Pendant




VL Studio Wall Lamp




VL Ring Crown 1 Wall Lamp

Light distribution diagrams


Cartesian



Isolux



Polar



Spare parts & accessories

Product

VL Studio Ø320 Table glass
VL Studio Table/Wall, White grommet
VL Studio Ø150 Wall glass
VL Studio Ø250 Table glass
VL Studio Table/Wall, Black grommet

Variant number

5744167864
5744167877
5743151868
5744167851
5744167880

Data specifications

| | | | |
|-----------------|-------|-------------------------------------|-----------|
| Colour | Brass | Length | 250 |
| Width | 250 | Height | 244 |
| Built-in Height | - | IP class | 20 |
| Class | II | Net Weight | 3.8 |
| Standby (W) | - | Power Factor (P = 100 % / P = 50 %) | - |
| Inrush Current | - | Light source | 1x40W E27 |

VL Studio Table/Floor Lamp

| | |
|-------------------------|----------|
| Kelvin | - |
| SDCM | - |
| Watt | 12 |
| Light control | - |
| UGR Transversal / Axial | < 0/13.9 |
| Driver life | - |

| | |
|--------------------|-----|
| CRI | - |
| Lumen | 657 |
| Efficacy | 55 |
| Min. Dim Level (%) | - |
| L80B50 (hours) | - |