



PC COLLECTION

DESIGN BY PIERRE CHARPIN

HAY

PC COLLECTION

Pierre Charpin's PC lamp series is a family of refined and precisely engineered multifunctional lamps, featuring a variety of designs and functions. The collection includes variants with single- and double arms, as well as free-standing, desk, clamp, suspended, and wall-mounted lights, as well as a portable outdoor model, the PC Portable. Common to all designs is the designer's intention to keep the object as visually simple as possible, making sure technical components are kept out of view.





PIERRE CHARPIN

Trained as an artist, Pierre Charpin has devoted himself to furniture and object design since the early 1990s. His approach to design is strongly influenced by his artistic background. Pierre's research on form and color characterize his work and can be seen in both, limited edition products and industrial products like the PC lamp. The use of a simple vocabulary and elementary forms is a constant aspect in his work, as well as the desire to offer sensual objects. Drawing, which he practices as a starting point for his designs, is an essential part of his creative process. Pierre Charpin's pieces have been included in exhibitions around the world and are held in many museum collections. He was elected Designer of the Year 2017 at Maison & Objet. He lives and works in Paris.



PC Collection

- PC PENDANT -



PC Pendant S, Emerald green



PC Pendant L, Soft black

- PC PENDANT -



PC Pendant L, Soft black



PC Pendant L, Soft black

- PC TABLE LAMP -



PC Table Lamp M, Soft black



PC Table Lamp L, Soft black



PC Table Lamp S, Aluminium

- PC TABLE LAMP -



PC Table Lamp L, Soft black



PC Table Lamp L, Soft black

- PC PORTABLE -



PC Portable, Cream white




PC Portable, Ocean green



PC Portable, Dusty red, Ocean green, Sky blue



- PC PORTABLE -



PC Portable, Soft black

- PC PORTABLE -



PC Portable, Dusty red





PC Portable Family



PC Double arm with table base, Ash grey

- PC TASK -



PC Double arm with table base, Soft black



PC Double arm with table base, Ash grey



PC Double Arm with table insert, Ash grey

- PC LINEAR -



PC Linear, Soft black



PC Linear, Soft black

- PC LINEAR -



PC Linear, Cream white



Please use below link to download packshots,
lifestyle photos and other sales material of product
IMAGE BANK

Please use below link for order
placement and further information
HAYB2B.COM



PC PENDANT

PRODUCT FACT SHEET



HAY

PC PENDANT


DESIGN BY PIERRE CHARPIN, 2019

Pierre Charpin's PC Pendants is a collection of refined suspension lighting that can be used independently or clustered together. The pendants are constructed in anodised aluminium, which makes the surface more resistant to corrosion. The light source in each pendant lamp is hidden by a removable polycarbonate moulded diffuser, creating both a soft directional output of light and determining the form of the lamp itself. The PC Pendants are available in a variety of sizes and colours, and are suitable for both contract and domestic markets.


HIGHLIGHTS

- Part of a progressive and technologically advanced lighting collection.
- A family of refined pendants, task lights, table and portable lamps.
- CE approved.
- Designed for use with a replaceable standard retro fit LED dimmable bulb.
- The fitting can be used in conjunction with a number of standard wall mounted dimming control units.
- Suitable for both private and office environments.


DIMENSIONS



SMALL
 WIDTH 25 CM | 9.8"
 DEPTH 25 CM | 9.8"
 HEIGHT 14,5 CM | 5.7"



MEDIUM
 WIDTH 40 CM | 15.7"
 DEPTH 40 CM | 15.7"
 HEIGHT 20,5 CM | 8.1"



LARGE
 WIDTH 60 CM | 23.6"
 DEPTH 60 CM | 23.6"
 HEIGHT 28 CM | 11"

MATERIALS

SHADE

Anodised spun aluminium shade.

DIFFUSER

Injection moulded translucent polycarbonate diffuser.

CABLE

Braided fabric cable with a PVC insulation.
 Please note that the cable is black for all colour options.

COLOUR & FINISH

Please note that the colour codes are indicative.

	SIZE	SMALL	MEDIUM	LARGE
SHELL				
SOFT BLACK RAL 9004		●	●	●
EMERALD GREEN RAL 6002		●	●	●
BLUSH RED PANTONE 492 U		●	●	●
ALUMINIUM ANODISED		●	●	●

PC PENDANT SMALL

TECHNICAL SPECIFICATIONS

RECOMMENDED LIGHT SOURCE*	DIMMABLE	POWER SUPPLY	IP	CORD LENGTH	SWITCH
3 x LED G9, 3-5W (max. 5W), 300-600lm, 2700-3000K warm white	Yes**	220-240V AC at 50/60Hz	20	400 cm	No

*Bulb not included.


**If used in conjunction with a wall mounted dimmer and suitable LED bulb.

TEST SPECIFICATION OUTPUTS*

FLUX (LUMENS)	CCT (KELVIN)	CRI (1-100)
625lm	2700K warm white	85

*Photometrics and the test specification shown is taken using the recommended LED bulbs fitted in the production luminaire.

PHOTOMETRICS



CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.

LED  IP20  

Tested according to the following European EN IEC standards which relate specifically to electrical lighting products including

- EN 55015:2013 (radio disturbance)
- EN 61547:2009 (EMC immunity)
- EN 61000-3-2:2014 (EMC compatibility)
- EN 61000-3-3:2013 (EMC compatibility)
- EN 60598-2-4:1997 (portable luminaires)
- EN 60598-1:2015 (general requirements)
- EN 62493:2010 (human exposure to EMC)

COUNTRY OF ORIGIN

China

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

[LINK TO IMAGE BANK](#)

PC PENDANT MEDIUM

TECHNICAL SPECIFICATIONS

RECOMMENDED LIGHT SOURCE*	DIMMABLE	POWER SUPPLY	IP	CORD LENGTH	SWITCH
LED 27 (A19), 10-13W (max. 13W), 1000-1500lm, 2700-3000K warm white	Yes**	220-240V AC at 50/60Hz	20	400 cm	No

*Bulb not included.


**If used in conjunction with a wall mounted dimmer and suitable LED bulb.

TEST SPECIFICATION OUTPUTS*

FLUX (LUMENS)	CCT (KELVIN)	CRI (1-100)
900lm	2700K warm white	85

*Photometrics and the test specification shown is taken using the recommended LED bulb fitted in the production luminaire.

PHOTOMETRICS



CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.

LED  IP20  

Tested according to the following european EN IEC standards which relate specifically to electrical lighting products including

- EN 55015:2013 (radio disturbance)
- EN 61547:2009 (EMC immunity)
- EN 61000-3-2:2014 (EMC compatibility)
- EN 61000-3-3:2013 (EMC compatibility)
- EN 60598-2-4:1997 (portable luminaires)
- EN 60598-1:2015 (general requirements)
- EN 62493:2010 (human exposure to EMC)

COUNTRY OF ORIGIN

China

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

[LINK TO IMAGE BANK](#)

PC PENDANT LARGE

TECHNICAL SPECIFICATIONS

RECOMMENDED LIGHT SOURCE*	DIMMABLE	POWER SUPPLY	IP	CORD LENGTH	SWITCH
3 x LED 27 (A19), 10-13W (max. 13W), 1000-1500lm, 2700-3000K warm white	Yes**	220-240V AC at 50/60Hz	20	400 cm	No

*Bulb not included.


**If used in conjunction with a wall mounted dimmer and suitable LED bulb.

TEST SPECIFICATION OUTPUTS*

FLUX (LUMENS)	CCT (KELVIN)	CRI (1-100)
900lm	2700K warm white	85

*Photometrics and the test specification shown is taken using the recommended LED bulbs fitted in the production luminaire.

PHOTOMETRICS



CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.

LED  IP20  

Tested according to the following European EN IEC standards which relate specifically to electrical lighting products including:

- EN 55015:2013 (radio disturbance)
- EN 61547:2009 (EMC immunity)
- EN 61000-3-2:2014 (EMC compatibility)
- EN 61000-3-3:2013 (EMC compatibility)
- EN 60598-2-4:1997 (portable luminaires)
- EN 60598-1:2015 (general requirements)
- EN 62493:2010 (human exposure to EMC)

COUNTRY OF ORIGIN

China

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

[LINK TO IMAGE BANK](#)

PC TABLE LAMP

PRODUCT FACT SHEET



PC TABLE LAMP


DESIGN BY PIERRE CHARPIN, 2019

Pierre Charpin's PC Table Lamps is a collection of refined freestanding tabletop lamps. The lamps are constructed in anodised aluminium, which makes the surface more resistant to corrosion. The light source is hidden from view by a removable polycarbonate moulded diffuser, creating both a soft directional downlight effect and determining the form of the lamp itself. The PC Table Lamps are available in a variety of sizes and colours, and are suitable for both contract and domestic markets.

HIGHLIGHTS


- Part of a progressive and technologically advanced lighting collection.
- A family of refined pendants, task lights, table and portable lamps.
- CE approved.
- Designed for use with a replaceable standard retro fit LED dimmable bulb.
- Touch step dimmer.
- Table lamp suitable for both private and office environments.
- Qualified for contract use.

DIMENSIONS



SMALL

WIDTH 25 CM | 9.8"
DEPTH 25 CM | 9.8"
HEIGHT 33 CM | 13"



LARGE

WIDTH 40 CM | 15.7"
DEPTH 40 CM | 15.7"
HEIGHT 50 CM | 19.7"

MATERIALS

SHADE

Anodised spun aluminium shade.

BASE

Anodised extruded aluminium base with a cast iron internal weight.

DIFFUSER

Injection moulded translucent polycarbonate diffuser.

CABLE

Braided textile cable with PVC insulation. Please note that the cable is black for all colour options.

OPTIONS

Incl. UK Plug converter.

COLOUR & FINISH

Please note that the colour codes are indicative.



SOFT BLACK
RAL 9004



ALUMINIUM
ANODISED

PC TABLE LAMP SMALL

TECHNICAL SPECIFICATIONS

RECOMMENDED LIGHT SOURCE*	DIMMABLE	POWER SUPPLY	IP	CORD LENGTH	SWITCH
LED E27 (A19), 10-13W (max. 13W), 1000-1500lm, 2700-3000K warm white	Yes	220-240V AC at 50/60Hz EU plug mounted	20	200 cm	Touch step dimmer (Integrated in the entire base)


*Bulb not included. Globe style bulb is not recommended.

TEST SPECIFICATION OUTPUTS*

FLUX (LUMENS)	CCT (KELVIN)	CRI (1-100)
360lm	2700K warm white	80

*Photometrics and the test specification shown is taken using the recommended LED bulb fitted in the production luminaire.

PHOTOMETRICS



CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following European EN IEC standards which relate specifically to electrical lighting products including:

- EN 55015:2013 (radio disturbance)
- EN 61547:2009 (EMC immunity)
- EN 61000-3-2:2014 (EMC compatibility)
- EN 61000-3-3:2013 (EMC compatibility)
- EN 60598-2-4:1997 (portable luminaires)
- EN 60598-1:2015 (general requirements)
- EN 62493:2010 (human exposure to EMC)

COUNTRY OF ORIGIN

China

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

[LINK TO IMAGE BANK](#)

PC TABLE LAMP LARGE

TECHNICAL SPECIFICATIONS

RECOMMENDED LIGHT SOURCE*	DIMMABLE	POWER SUPPLY	IP	CORD LENGTH	SWITCH
LED E27 (A19), 10-13W (max. 13W), 1000-1500lm, 2700-3000K warm white	Yes	220-240V AC at 50/60Hz EU plug mounted	20	200 cm	Touch step dimmer (Integrated in the entire base)


*Bulb not included. Globe style bulb is not recommended.

TEST SPECIFICATION OUTPUTS*

FLUX (LUMENS)	CCT (KELVIN)	CRI (1-100)
550lm	2700K warm white	80

*Photometrics and the test specification shown is taken using the recommended LED bulb fitted in the production luminaire.

PHOTOMETRICS



CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following European EN IEC standards which relate specifically to electrical lighting products including:

- EN 55015:2013 (radio disturbance)
- EN 61547:2009 (EMC immunity)
- EN 61000-3-2:2014 (EMC compatibility)
- EN 61000-3-3:2013 (EMC compatibility)
- EN 60598-2-4:1997 (portable luminaires)
- EN 60598-1:2015 (general requirements)
- EN 62493:2010 (human exposure to EMC)

COUNTRY OF ORIGIN

China

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

[LINK TO IMAGE BANK](#)

PC TASK

PRODUCT FACT SHEET



PC TASK


DESIGN BY PIERRE CHARPIN, 2016

Pierre Charpin's PC Task Lights series is a collection of refined and precisely engineered task lamps designed to provide focused light where needed. The lamps are constructed in aluminium, with a subtle sheen finish. The functional design conceals gas springs that enable the arms and head to hold their position wherever they are moved, and it features an integrated-touch dimmer switch with a memory function that controls brightness levels and automatically turns off after five hours. The PC Task Lights are available in a variety of size and colour options and are suitable for both contract and domestic markets.


HIGHLIGHTS

- Part of a progressive and technologically advanced lighting collection.
- A family of multifunctional task lamps that can be used free standing, desk, clamp and wall mounted.
- CE approved.
- Integrated LED light source ensuring a life span of at least 25,000 hours of use.
- Stepless touch dimmer.
- Concealed gas springs.
- The lamp is suitable for both private and office environments.
- Qualified for contract use.


DIMENSIONS




DOUBLE ARM WITH TABLE BASE
WIDTH 14 CM | 5.5"
DEPTH 55 CM | 21.7"
HEIGHT 42 CM | 16.5"



DOUBLE ARM WITH CLAMP
WIDTH 14 CM | 5.5"
DEPTH 55 CM | 21.7"
HEIGHT 60,5 CM | 23.8"



DOUBLE ARM WITH WALL BRACKET
WIDTH 14 CM | 5.5"
DEPTH 55 CM | 21.7"
HEIGHT 45 CM | 17.7"



DOUBLE ARM WITH TABLE INSERT
WIDTH 14 CM | 5.5"
DEPTH 55 CM | 21.7"
HEIGHT 42,5 CM | 16.7"

MATERIALS

SHADE

Spun aluminum.

BODY

Extruded aluminium arms with die cast aluminium joints

BASE

Injection moulded ABS cover with internal sand cast iron counter weight. Powder coated steel base with foam pad protector underneath

CORD

Silicone cable.

COLOUR & FINISH

Please note that the colour codes are indicative.

SHELL	SIZE	DOUBLE ARM WITH TABLE BASE	DOUBLE ARM WITH CLAMP	DOUBLE ARM WITH WALL BRACKET	DOUBLE ARM WITH TABLE INSERT
SOFT BLACK RAL 9004					
ASH GREY RAL 7035					

Note that fixings, gaskets, soft TPE components and the cable are black for both colour options.

TECHNICAL SPECIFICATIONS


LIGHT SOURCE	POWER (WATTS)	DIMMABLE	POWER SUPPLY	CORD LENGTH	SWITCH
Integrated LED	5,7W	YES	220-240V AC at 50-60Hz UK/EU plug mounted adapter	200 cm	Stepless touch dimmer

TEST SPECIFICATIONS*

FLUX (LUMENS)	CCT (KELVIN)	CRI (1-100)
407lm	3100K, cool white	85

*Photometrics and the specification shown is taken using the integrated LED light source fitted in the production luminaire.

PHOTOMETRICS



CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following european EN IEC standards which relate specifically to electrical lighting products including

- EN 55015:2013 (radio disturbance)
- EN 61547:2009 (EMC immunity)
- EN 61000-3-2:2014 (EMC compatibility)
- EN 61000-3-3:2013 (EMC compatibility)
- EN 60598-2-4:1997 (portable luminaires)
- EN 60598-1:2015 (general requirements)
- EN 62493:2010 (human exposure to EMC)

COUNTRY OF ORIGIN

China

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

[LINK TO IMAGE BANK](#)

PC PORTABLE

PRODUCT FACT SHEET



HAY

PC PORTABLE


DESIGN BY PIERRE CHARPIN, 2018

Pierre Charpin's PC Portable Lamp is a refined and portable freestanding lamp for indoor and outdoor use. Constructed in robust plastic and featuring a matte scratch- and water- resistant finish, its battery-powered design gives the freedom and flexibility to move it anywhere. The light source is hidden from view by a polycarbonate diffuser, available with both downlight and ambient output options, depending on the desired use. The PC Portable Lamps are available in several mono-colour designs or a selection of playful colour combinations, making them ideal for table lighting in numerous domestic environments, as well as at cafés, restaurants and other public areas.

HIGHLIGHTS

- Part of a progressive and technologically advanced lighting collection.
- A compact, portable and robust LED-based lamp that can be used freestanding in a number of different environments and applications.
- CE and ETL approved for both EU and US markets.
- Includes replaceable LED light source ensuring a life span of at least 25,000 hours of use.
- Integrated touch step dimmer switch with three standard settings on the base of the lamp.
- Minimum 10 hours of use before the battery requires recharging via USB.
- Qualified for contract use.
- IP44 outdoor rated.
- Suitable for both indoor and outdoor environments.

DIMENSIONS



WIDTH 14 CM | 5.5"

DEPTH 14 CM | 5.5"

HEIGHT 22 CM | 8.7"

MATERIALS

LAMP BASE

Injection moulded ABS, with a translucent PP diffuser.

LAMP SHADE

Injection moulded opaque ABS for Soft black and Olive lamp, translucent PP for Cream white.

CORD

PVC micro USB cable (100 cm).


BASE INSERT

Injection moulded ABS.

OPTIONS

A USB charging station able to charge 24 PC Portable lamps simultaneously.

Designed for settings where multiple PC Portable lamps are used on a regular basis.



COLOUR & FINISH

Please note that the colour codes are indicative.

	SIZE	SOFT BLACK	OLIVE	TRANSLUCENT	AUBERGINE
COLOUR		 RAL9004 Opaque	 RAL6003 Opaque		 NSC S 8005 R20B Opaque
SOFT BLACK RAL9004		•			
OLIVE RAL6003			•		
CREAM WHITE RAL 9010				•	
OCEAN GREEN Pantone 7476C Ocean green RAL1004 Mustard yellow				•	
SKY BLUE RAL5012 Sky blue Pantone 1535C Signal brown				•	
DUSTY RED RAL3016 Dusty red RAL9010 Cream white					•

The colours (soft black & olive) for the PC Portable are created to fit our range of outdoor furniture, but will equally suit any indoor environment as well. The translucent shades provides an ambient light, whilst the coloured shades provide directional down light.

TECHNICAL SPECIFICATIONS

LIGHT SOURCE*	DIMMABLE	POWER SUPPLY	IP	BATTERY	SWITCH
LED G4, 3W, 220lm, 2800K warm white	Yes	220-240V AC at 50-60Hz Micro USB Cable	44	3,6V Lithium-ion battery. 10h per full charge	Touch step dimmer. (Integrated in the base insert)

*Bulb included in the packaging. For replacements of LED bulbs, please contact HAY or an authorised dealer.

TEST SPECIFICATION OUTPUTS*

OPAQUE SHADE (SOFT BLACK, OLIVE & DUSTY RED)

FLUX (LUMENS)	CCT (KELVIN)	CRI (1-100)
85lm	2900K, warm white	75


TRANSCULENT SHADE (CREAM WHITE, OCEAN GREEN, SKY BLUE)

LUX (LUMENS)	CCT (KELVIN)	CRI (1-100)
155lm	2900K, warm white	75


*Photometrics and the test specification shown is taken using the included LED bulb fitted in the production luminaire.

PHOTOMETRICS

Opaque shade



Translucent shade



CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following European EN IEC standards which relate specifically to electrical lighting products including:

- EN 55015:2013 (radio disturbance)
- EN 61547:2009 (EMC immunity)
- EN 61000-3-2:2014 (EMC compatibility)
- EN 61000-3-3:2013 (EMC compatibility)
- EN 60598-2-4:1997 (portable luminaires)
- EN 60598-1:2015 (general requirements)
- EN 62493:2010 (human exposure to EMC)

COUNTRY OF ORIGIN

China

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

[LINK TO IMAGE BANK](#)

PC LINEAR

PRODUCT FACT SHEET



PC LINEAR


DESIGN BY PIERRE CHARPIN, 2020

Pierre Charpin's PC Linear is the latest member to join the family of PC lamps. The new design shares the same simple and elegant profile that is present in the rest of the family. The PC Linear's shade is pressed from a single aluminium component with a wet-sprayed finish. The linear design is ideal for suspending over meeting or dining tables, as well as for illuminating exhibition shelves in commercial spaces. The PC Linear is available in black or white and is suitable for both contract and domestic use.

HIGHLIGHTS

- Part of a progressive and technologically advanced lighting collection.
- A family of refined pendants, task lights, table and portable lamps.
- Linear suspension lamp that provide a diffused directional linear source of light.
- CE approved.
- Integrated LED light source ensuring a life span of at least 25,000 hours of use.
- Suitable for both private and office environments.
- Qualified for contract use.

DIMENSIONS



WIDTH 120 CM | 47.2"

DEPTH 14 CM | 5.5"

HEIGHT 10 CM | 3.9"

MATERIALS

SHADE

Stamped aluminum with a wet spray finish.

DIFFUSER

Extruded and injection moulded polycarbonat (PC).

CEILING CANOPY

Injection moulded ABS.

CABLE

Silicone power cable.

COLOUR & FINISH

Please note that the colour codes are indicative.



SOFT BLACK
RAL 9004



CREAM WHITE
RAL 9010

TECHNICAL SPECIFICATIONS


LIGHT SOURCE	POWER (WATTS)	DIMMABLE	POWER SUPPLY	CORD LENGTH	SWITCH
Integrated LED	28W	Yes (TRIAC)	220-240V AC at 50-60Hz UK/EU plug mounted adapter	400 cm	No

TEST SPECIFICATIONS*

FLUX (LUMENS)	CCT (KELVIN)	CRI (1-100)
2300 lm	2800k, warm white	82

*Photometrics and the specification shown is taken using the integrated LED bulb fitted in the production luminaire.

PHOTOMETRICS



CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.

LED  IP20  

Tested according to the following european EN IEC standards which relate specifically to electrical lighting products including

- EN 55015:2013 (radio disturbance)
- EN 61547:2009 (EMC immunity)
- EN 61000-3-2:2014 (EMC compatibility)
- EN 61000-3-3:2013 (EMC compatibility)
- EN 60598-2-4:1997 (portable luminaires)
- EN 60598-1:2015 (general requirements)
- EN 62493:2010 (human exposure to EMC)

COUNTRY OF ORIGIN

China

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Image Bank at hay.com.

[LINK TO IMAGE BANK](#)